



Standardization Activities in Industry 4.0


Heinrich Munz

Lead Architect Industry 4.0




Germany's Platform Industry 4.0

- Industry 4.0 is one of ten „Future Projects” of the German Government
- 1000 Mio. € grants
- Controlled by the German Government
 - Supervised by Chancellor Angela Merkel (visited KUKA in 03/15)
 - Minister for Economic Affairs & Energy Brigitte Zypries
 - Minister for Education & Research Johanna Wanka
- KUKA is a member of the “Reference Architecture and Standardization” working group (Heinrich Munz)






Relations between Platform Industry 4.0 / LNI 4.0 / Standardization Council






Reference Architecture Model Industry 4.0 (RAMI 4.0)





M2M Communication Landscape in Industrial Automation today


- IEC 61158 “standardizes” 19 different field buses
- Connectors, Cables, physical layer, other parts of the communication stack are different
- ➔ No interoperability between different technologies ☹️
- However: Interoperability is key to the success of Industry 4.0
 - Project components are put together on the plant floor by system integrators (not developers !)
- Standard Ethernet is missing!
 - Why? No deterministic real-time! (so far...)



Source: HMS




OPC UA in the RAMI4.0 (Reference Architecture Model Industry 4.0)



Where does Time Sensitive Networking (TSN) come from and who else is using it?

- TSN is a working group within the IEEE 802.1 standardization group (Ethernet)



- TSN is the successor of AVB (Audio/Video-Bridging) and was renamed due its broader usage scope
- 1st Audio/Video, 2nd usage in cars, 3rd Industrial Automation

TSN activities around the world

- TSN Testbed in Austin, TX @NI within the Industrial Internet Consortium (IIC)
 - Clone in Erbach @ BoschRexroth



- OPC UA TSN Testbed @Fraunhofer ICGV in Augsburg (incl. Siemens)




- OPC TSN Shapers: Firmenkonsortium, welches sich zum Einsatz von OPC UA over TSN committet hat






The communication Stack which must go into each automation node

- TSN addresses only layer 2
- For full interoperability, all layers in all nodes must be the same
- Industry 4.0 platform WG1, ZVEI and VDMA officially recommend OPC UA as the higher layer protocol including the semantic service descriptions



Typical Industry 4.0 architecture with OPC UA and field bus integration

(Source EtherCAT Technology Group)





Legacy field buses on the integration layer are already building bridges to OPC UA


The collage features several key elements:

- OPC FOUNDATION**: Multiple instances of the OPC Foundation logo and navigation menus (About, Membership, Partners & Collaboration, IO-Link, CC-Link Partner Network).
- Market&Technik**: A screenshot of a press release titled "Open DeviceNet Vendors Associate Maschinenendenmodell zu OPC UA".
- PI PROFIBUS + PROFINET**: A screenshot of a press release titled "EtherCAT und OPC UA" with the sub-header "Nachdem die EtherCAT auf der letzten Hand Schnittstellen für die Spezifikationsarbeit durchgängige Kommunikation".
- IO-Link**: A screenshot of an "IO-Link Overview" page.
- CC-Link Partner Network**: A screenshot of a "CC-Link Partner Network Overview" page.
- Embedding CANopen in the world of OPC UA**: A detailed screenshot of an event announcement dated October 12, 2015, stating: "OPC UA has scheduled a free-of-charge event discussing how to embed CANopen networks into the OPC UA world. The information day addresses CIA members as well as CANopen system designers (also non-members). Mathias Damm from the OPC foundation introduces OPC UA and the principles of embedding serial networks. CIA members are invited to present already existing OPC UA solutions in conjunction with OPC UA. In addition, CIA presents the activities that have been started to embed CANopen in internet-connected applications (Internet of Things). Afterwards, the attendees can discuss the possibilities of embedding CANopen in the world of OPC UA in detail. The information day on OPC UA is scheduled for December 15, 2015 (10:00 to 15:00) in Nuremberg (Germany). The preliminary program comprises:"
- sercos**: A screenshot of the "sercos the automation bus" website.
- News und Events**: A screenshot of a website section for news and events.
- OPC-UA Companion**: A screenshot of a page titled "OPC-UA Companion".
- Profibus & Profinet International (PI)**: A screenshot of a press release dated 20.11.2015 stating: "PROFIBUS & PROFINET International (PI) und die OPC Foundation arbeiten bereits seit Jahren zusammen. Diese Zusammenarbeit wird intensiviert, um die Integration von OPC UA in die Systemarchitektur von PROFINET konsequent weiterzuführen."

Industry 4.0 platform WG1, ZVEI and VDMA officially recommend OPC UA (only)



*„Produkt online
ansprechbar über
TCP/UDP&IP mit
mindestens dem
Informationsmodell
von OPC-UA“*



https://www.zvei.org/fileadmin/user_upload/Presse_und_Medien/Publikationen/2016/November/Welche_Kriterien_muessen_Industrie-4.0-Produkte_erfuellen_/ZVEI-LF_Welche_Kriterien_muessen_I_4.0_Produkte_erfuellen_17.03.17.pdf




The German Engineering Association VDMA supports OPC UA as M2M Technology (only)

- Several Working Groups to develop OPC UA Companion Specifications for Machines and Devices already running under the roof of the VDMA

VDMA represents the broad manufacturer industry

VDMA has 3200 member companies



- » Agricultural Machinery
- » Air Conditioning and Ventilation
- » Air Pollution Control
- » Air-handling Technology
- » Building Control and Management
- » Cleaning Systems
- » Compressors, Vompresed Air and Vacuum Technology
- » Construction Equipment and Building Material Machines
- » Drying Technology
- » Electrical Automation
- » Electronics, Micro and Nano Technologies
- » Engine Systems for Power and Heat Generation
- » Engines and Systems

- » Fire Fighting Equipment
- » Fluid Power
- » Food Processing Machinery and Packaging Machinery
- » Foundry Machinery
- » Gas Welding
- » Hydro Power
- » Integrated Assembly Solutions
- » Large Industrial Plant Manufacturing
- » Lifts and Escalators
- » Machine Tools and Manufacturing Systems
- » Machine Vision
- » Materials Handling and Intralogistics
- » Measuring and Testing Technology

- » Metallurgical Plants and Rolling Mills
- » Metallurgy
- » Micro Technologies
- » Mining
- » Plastics and Rubber Machinery
- » Power Systems
- » Power Transmission Engineering
- » Precision Tools
- » Printing and Paper Technology
- » Process Plant and Equipment
- » Productronic
- » Pumps + Systems
- » Refrigeration and Heat Pump Technology
- » Robotics

- » Robotics + Automation
- » Security Systems
- » Software
- » Surface Treatment Technology
- » Textile Care, Fabric and Leather Technology
- » Textile Machinery
- » Thermal Turbines and Power Plants
- » Thermo Process Technology
- » Valves
- » Waste Treatment and Recycling
- » Wind Energy
- » Woodworking Machinery

OPC UA CS under development

Awareness existent


VDMA | Dr. Christian Mosch
Seite 3 | 26.04.2017



Thank you for your attention!



Backup: Outlook Technical Details





Why Cloud Federation?

- Every automation device of the future must/will have a semantic service description (created in VDMA WGs)
- This precious meta information for data and services should also be kept on their way through the firewalls/clouds (plural)
- If the device has a data point named “Motor2Temperature” we’d like to see the data of this data point in the cloud with exactly the same tag name, same for services...
- ...without the need to manually configuring it in every cloud
- ...without the need to configure its way through the clouds on every single hop
- ➔ The meta information sourcing in the OPC UA information model must be kept all along its way through the clouds
- Standard OPC UA cannot be transported through firewalls (Port # 4840), SOAP is outdated
- Client “above” initially must contact the servers “down” in the things ➔ “wrong” direction
- It takes a transport protocol which turns the initial direction around and can be used through firewalls, in the internet and between clouds
- Message Broker protocols like MQTT or AMQP can do this
 - Communication initialization is done from the things or the edge to the broker “above” (“outbound”)
 - typically used for firewall/cloud, cloud/cloud communication
- Cloud “Routing” is needed for Cloud-to-Cloud communication ➔ “Cloud Federation”



Cloud Federation: Why AMQP and not MQTT?

- AMQP defines in the standard, how to add meta information to the data/services, MQTT does not
- MQTT just transports unstructured binary Byte packets
- Sender and receiver explicitly must know the semantic of the information
- JSON messages etc. could be added to the MQTT binary block “somehow”, but this is not standardized
- The standardization how to transport of OPC UA over AMQP is already work in progress in a OPC Foundation working group
 - Finalization expected for May 2017
 - For MQTT this also could be done, but nobody is working on it yet
- Political: MQTT was developed and still is driven by IBM, AQMP was developed and still is driven by a consortia (similar to OPC UA and TSN)
- There are two possible ways to use AMQP as a transport layer for OPC UA

1. Simple Publish/Subscribe Pattern

- What to publish must be configured somewhere else :-)
- No discovery from Client to Server possible :-)
- No subscription from the client on single data points possible :-)
- Services not defined (yet?) via Pub/Sub :-)

2. Standard Client/Server Pattern

- The whole OPC UA functionality also is possible through the cloud :-)
- OPC UA Server in the devices, OPC UA clients in the clouds :-)
- See also this White Paper “A Comparison of AMQP and MQTT”
[https://lists.oasis-open.org/archives/amqp/201202/msg00086/StormMQ_WhitePaper - A Comparison of AMQP and MQTT.pdf](https://lists.oasis-open.org/archives/amqp/201202/msg00086/StormMQ_WhitePaper_-_A_Comparison_of_AMQP_and_MQTT.pdf)